AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

- 1. (Canceled)
- 2. (Canceled)
- 3. (Currently Amended) The tablet as claimed in of claim 17, characterized in that the size of wherein the diameter of the neutral microgranules is between 200 and 400 µm.
- 4. (Currently Amended) The tablet as claimed in of claim 17, characterized in that wherein its hardness is between 0 and 20 daN.
- 5. (Currently Amended) The tablet as claimed in of claim 17, characterized in that wherein its friability is between 0 and 1%.
- 6. (Currently Amended) The tablet as claimed in of claim 17, characterized in that wherein its disintegration time is less than 15 minutes.
 - 7. (Cancelled)

- 8. (Currently Amended) The tablet as claimed in of claim 17 -7, characterized in that it additionally comprises wherein the compression excipient includes a lubricant in an amount of less than 1% by mass of the tablet.
- 9. (Currently Amended) The tablet as claimed in of claim 8, characterized in that the content of wherein the lubricant is between 0.125 and 0.75% by mass weight of the tablet.
- 10. (Currently Amended) The tablet as claimed in of claim 17, wherein the amount of active principle is less than 10 mg/g of the tablet.
- 11. (Currently Amended) A tableting premix for the preparation of the <u>a</u> tablet, according to Claim 1 containing said premix comprising:
- (a) between 99 and 100% by-mass weight of said neutral microgranules containing said coated with an active principle mixture,

wherein said active principle mixture consists essentially of an active principle and an optional binder, is attached as a coating to and said neutral microgranules consist essentially of 62.5% to 91.5% sucrose and the remainder starch and is not coated with an agent intended to modify its release or to mask its taste, and

(b) between 0 and 1% by mass weight of a lubricant, and which premix is intended to be subject to direct compression wherein the premix is directly compressible.

- 12. (Currently Amended) The composition as claimed in premix of claim

 11, characterized in that wherein the active principle attached as a coating to coated

 on the neutral microgranules represents is less than 4% by mass weight of the

 neutral microgranules.
- 13. (Currently Amended) A process for the preparation of the tablet as claimed in of claim 17, characterized in that it is obtained by comprising direct compression of the composition as claimed in either of claims 11 and of claim 11 or 12 by employing a compression force of between 5 and 50 kN.
- 14. (Currently Amended) The tablet as claimed in of claim 17, characterized in that wherein the size of the neutral microgranules is between 200 and 600 µm.
- 15. (Currently Amended) The tablet as claimed in of claim 8, characterized in that wherein the content of lubricant is on the order of about 0.25% by mass weight.
- 16. (Currently Amended) A process for the preparation of the tablet as claimed in of claim 17, characterized in that it is obtained by comprising direct compression of the composition as claimed in either of claims 11 and of claim 11 or 12 by employing a compression force of between 10 and 30 kN.

- 17. (New) A tablet consisting essentially of: neutral microgranules coated with an active principle mixture, and an excipient, wherein:
- a) the neutral microgranules consist essentially of 62.5% to 91.5% sucrose with the remainder starch, are spherical of uniform diameter between 100 and 2000 µm, and are directly compressible;
- b) the coating of active principle mixture consists essentially of an active principle and an optional binder such that the active principle is less than 40 mg/g of the tablet; and
- c) the excipient is a compression excipient at less than 1% by weight of the tablet.
- 18. (New) A tablet consisting essentially of: neutral microgranules coated with an active principle mixture, an excipient, and a film coating, wherein:
- a) the neutral microgranules consist essentially of 62.5% to 91.5% sucrose with the remainder starch, are spherical of uniform diameter between 100 and 2000 µm, and are directly compressible;
- b) the coating of active principle mixture consists essentially of an active principle and an optional binder such that the active principle is less than 40 mg/g of the tablet;
- c) the excipient is a compression excipient at less than 1% by weight of the tablet; and
- d) the film coating on the tablet restricts exposure of the active principle to light, moisture or oxygen; or modifies release of the active principle; or modifies the color or appearance of the tablet; or any combination thereof.